


PROGRESS SET

JOB NO. 1842

Arch. Services	100%
Struct. Plans	100%
MEP Plans	100%
Interior Finishes	100%
Exterior Finishes	100%
Site Plans	100%
Other	100%



MAIN FLOOR SHEAR WALL PLAN NOTES
NOTE: ALL EXTERIOR WALLS & GABLE ENDS TO BE SW-6 U.N.O.

- ① ADD (6) BLOCKING PANELS. SEE DETAIL C
- ② SHEATH TRUSS/PER SW-4, L = 4. SEE DETAIL D
- ③ SHEATH TRUSS/PER SW-4, L = 7. SEE DETAIL D
- ④ SHEATH TRUSS/PER SW-4, L = 10. SEE DETAIL D
- ⑤ PROVIDE CONTINUOUS SHEATHING UNDER OVERHANGING TO WALL TOP PLATE
- ⑥ ADD CS16 BEAM TO BEAM @ BEAM SPACE AS REQD
- ⑦ LOCATE TRUSS W/ LINE WITH SHEAR WALL
- ⑧ ADD HTS30 TRUSS TO WALL TOP PLATE
- ⑨ ADD CS16 BEAM TO WALL TOP PLATE
- ⑩ BLOCK ROOF SHEATHING PANEL EDGES THIS AREA
- ⑪ PROVIDE R4 @ 4" O.C. ROOF SHEATHING TO BLOCKING
- ⑫ ADD CS16 BLOCKING TO WINDOW/ DOOR HEADER. SEE DETAIL E
- ⑬ ADD CS16 ABOVE & BELOW OPENING. SEE DETAIL F
- ⑭ ADD (2) CS16 PER DETAIL G
- ⑮ ADD (2) ASS TO CORNER. SEE DETAIL H
- ⑯ ADD (4) ASS TO CORNER. SEE DETAIL H
- ⑰ CS16 TO WALL BELOW
- ⑱ DOUBLE CS16 TO WALL BELOW
- ⑳ HDX. SEE DETAIL J

SHEET LEGEND

INSULATED WALL

UNINSULATED WALL

MAIN FLOOR AREAS

MAIN FLOOR OPEN AREA

MAIN FLOOR WALL AREA

NOTE: ROOM HEADERS/STAYS SHOWN CROSS FLOOR AREA MARKED TO BE CONCRETE AS AT 2" SEWER WOOD.

MAIN FLOOR PLAN
SCALE 1/8" = 1'-0"